



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/607,967	06/27/2003	William M. Radich	S104.12-0037/STL 11305	3060

7590

10/19/2005

Kirk A. Cesari, Esq.  
Seagate Technology LLC  
Intellectual Property - SHK2LG  
1280 Disc Drive  
Shakopee, MN 55379-1863

EXAMINER

CHAUDRY, MUJTABA M

ART UNIT

PAPER NUMBER

2133

DATE MAILED: 10/19/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	Application No. 10/607,967	Applicant(s) RADICH, WILLIAM M.	
	Examiner Mujtaba K. Chaudry	Art Unit 2133	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 27 June 2003.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 27 June 2003 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                        | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)               | Paper No(s)/Mail Date. _____  |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u>6/27/2003</u>   | 6) <input type="checkbox"/> Other: _____                                    |

## **DETAILED ACTION**

### ***Information Disclosure Statement***

The information disclosure statement (IDS) submitted on June 27, 2003 is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement has been considered by the Examiner.

### ***Oath/Declaration***

The Oath filed June 27, 2003 complies with all the requirements set forth in MPEP 602 and therefore is accepted.

### ***Drawings***

The drawings are objected to because:

- Figure 1 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Art Unit: 2133

- Figure 2-1 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Appropriate correction is required.

### *Claim Rejections - 35 USC § 102*

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –


(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 2, 7, 8, 11, 12, 17, 18 and 20 are rejected under 35 U.S.C. 102(b) as being anticipated by Kavcic et al. (USPN 6438180).

As per claim 1, Kavcic et al. (herein after referred to as one entity: Kavcic) teaches (abstract and Figure 1) a method of determining branch metric values in a detector. The method includes receiving a plurality of time variant signal samples, the signal samples having one of signal-dependent noise, correlated noise, and both signal dependent and correlated noise associated therewith. The method also includes selecting a branch metric function at a certain

Art Unit: 2133

time index and applying the selected function to the signal samples to determine the metric values.

**FIG. 1**

As per claim 2, Kavcic teaches, in view of above rejections, receiving a plurality of time variant signal samples, the signal samples having one of signal-dependent noise, correlated noise, and both signal dependent and correlated noise associated therewith. The noise is caused by coloring by front-end equalizers, media noise, media nonlinearities, and magnetoresistive (MR) head nonlinearities. This noise coloring causes significant performance degradation at high recording densities. Thus, there is a need for an adaptive correlation-sensitive maximum likelihood sequence detector which derives the maximum likelihood sequence detector (MLSD) without making the usual simplifying assumption that the noise samples are independent random variables.

As per claims 7 and 8, Kavcic teaches (col. 15) the generalization of the BCJR algorithm can be made for any other soft output or hard output algorithm defined on a trellis or a graph of any communications (or other dynamic) system.

As per claim 11, Kavcic teaches (abstract) a method of determining branch metric values in a detector. The method includes receiving a plurality of time variant signal samples, the signal samples having one of signal-dependent noise, correlated noise, and both signal dependent and correlated noise associated therewith. The method also includes selecting a branch metric function at a certain time index and applying the selected function to the signal samples to determine the metric values.

As per claim 12, Kavcic teaches, in view of above rejections, receiving a plurality of time variant signal samples, the signal samples having one of signal-dependent noise, correlated noise, and both signal dependent and correlated noise associated therewith. The noise is caused by coloring by front-end equalizers, media noise, media nonlinearities, and magnetoresistive (MR) head nonlinearities. This noise coloring causes significant performance degradation at high recording densities. Thus, there is a need for an adaptive correlation-sensitive maximum likelihood sequence detector which derives the maximum likelihood sequence detector (MLSD) without making the usual simplifying assumption that the noise samples are independent random variables.

As per claims 17 and 18, Kavcic teaches (col. 15) the generalization of the BCJR algorithm can be made for any other soft output or hard output algorithm defined on a trellis or a graph of any communications (or other dynamic) system.

As per claim 20, Kavcic teaches (abstract) a method of determining branch metric values in a detector. The method includes receiving a plurality of time variant signal samples, the signal samples having one of signal-dependent noise, correlated noise, and both signal dependent and correlated noise associated therewith. The method also includes selecting a branch metric function at a certain time index and applying the selected function to the signal samples to determine the metric values.

***Claim Rejections - 35 USC § 103***

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35

U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 3-6, 9-10, 19 and 13-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kavcic et al. (USPN 6438180).

As per claims 3-6, Kavcic substantially teaches (col. 3, lines 20-68) a noise statistics tracker circuit 34 uses the delayed samples and detector decisions to update the noise statistics, i.e., to update the noise covariance matrices. A metric computation update circuit 36 uses the updated statistics to calculate the branch metrics needed in the Viterbi-like algorithm. The algorithm does not require replacing current detectors. It simply adds two new blocks in the feedback loop to adaptively estimate the branch metrics used in the Viterbi-like detector 30. The

Art Unit: 2133


Viterbi-like detector 30 typically has a delay associated with it. Until the detector circuit 28 is initialized, signals of known values may be input and delayed signals are not output until the detector circuit 28 is initialized. In other types of detectors, the detector may be initialized by having the necessary values set.

Kavcic does not explicitly teach to calculate branch metric values using the various functions as stated in the present application.

However, Kavcic does teach (cols. 4-10) some functions to calculate branch metric values. Kavcic teaches (col. 7) that in the derivations of the branch metrics no assumptions were made on the exact Viterbi-type architecture, that is, the metrics can be applied to any Viterbi-type algorithm such as PRML, FDTS/DF, RAM-RSE, or, MDFE. Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to calculate branch metric values using the various functions within the teachings of Kavcic. This modification would have been obvious to one of ordinary skill in the art because one of ordinary skill in the art would have recognized that calculating branch metric values using the various functions would optimize the branch metric value calculations.

As per claims 9, 10 and 19, Kavcic substantially teaches (Figure 1) the detector to be part of the read channel and is post processor.





As per claims 13-16, Kavcic substantially teaches (col. 3, lines 20-68) a noise statistics tracker circuit 34 uses the delayed samples and detector decisions to update the noise statistics, i.e., to update the noise covariance matrices. A metric computation update circuit 36 uses the updated statistics to calculate the branch metrics needed in the Viterbi-like algorithm. The algorithm does not require replacing current detectors. It simply adds two new blocks in the feedback loop to adaptively estimate the branch metrics used in the Viterbi-like detector 30. The Viterbi-like detector 30 typically has a delay associated with it. Until the detector circuit 28 is initialized, signals of known values may be input and delayed signals are not output until the detector circuit 28 is initialized. In other types of detectors, the detector may be initialized by having the necessary values set.

Kavcic does not explicitly teach to calculate branch metric values using the various functions as stated in the present application.

However, Kavcic does teach (cols. 4-10) some functions to calculate branch metric values. Kavcic teaches (col. 7) that in the derivations of the branch metrics no assumptions were made on the exact Viterbi-type architecture, that is, the metrics can be applied to any Viterbi-type algorithm such as PRML, FDTS/DF, RAM-RSE, or, MDFE. Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to calculate branch metric values using the various functions within the teachings of Kavcic. This modification would have been obvious to one of ordinary skill in the art because one of ordinary skill in the art would have recognized that calculating branch metric values using the various functions would optimize the branch metric value calculations.

Art Unit: 2133


***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Additional pertinent prior arts are included herein for Applicant's review.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mujtaba K. Chaudry whose telephone number is 571-272-3817. The examiner can normally be reached on Mon-Thur 9-7:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Albert DeCady can be reached on 571-272-3819. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Mujtaba Chaudry  
Art Unit 2133  
October 14, 2005



**GUY LAMARRE**  
**PRIMARY EXAMINER**